


THRUST ROLLER BEARINGS

Thrust roller bearings can be **classified** into cylindrical roller bearings(80000 type), thrust taper roller bearings(90000 type), and thrust spherical roller bearings(29000 type).they are **separable** bearings , greater rigidity , **taking** small space, bearing higher axial load and have low sensitivity to impact load.they permit low rotating speed,normally used in the workplace **where** thrust ball bearings can not be applied.

Thrust spherical roller bearing can bear both axial load and radial load and **can be used in** heavy load **applications** and permit the higher rotating speed and has better self-aligning performance.

Our thrust roller bearings mainly use steel **or brass machined solid cage**.



Spherical thrust roller bearing

Part number		dimensions			Load (kN)		weight
new	old	d	D	H	Cr	Cor	kg
29340	9039340	200	340	85	1610	5500	29.5
9069440	9069440	200	400	122	1740	6054	60.6
29440E	9039440E	200	400	122	2760	9000	71.1
29244	9039244	220	300	48	546	2400	10
9069344	9069334	220	360	85	970	3769	32.5
29344	9039344	220	360	85	1390	2800	28.6
9069444	9069444	220	420	122	1830	6624	68.7
29444	9039444	220	420	122	2880	9650	75
29248E	9039248E	240	340	60	799	3450	19.3
9069348	9069348	240	380	85	1320	4251	33.8
29348E	9039348E	240	380	85	1790	6550	35.5
9069448	9069448	240	440	122	1920	7158	70
29448E	9039448E	240	440	122	2990	10200	80
9069252	9069252	260	360	60	645	2877	16.9
29252	9039252	260	360	60	817	3650	18.5
9069352	9069352	260	420	95	1390	5793	45.6
29352E	9039352E	260	420	95	2220	8300	53.6
9069452	9069452	260	480	132	2120	8118	91.8
29452E	9039452E	260	480	132	3510	12900	105
9069356	9069356	280	440	95	1410	5980	48.4
29356E	9039356E	280	440	95	2190	8650	53
9069456	9069456	280	520	145	2550	9828	115
29456E	9039456E	280	520	145	4310	15300	135
9069360	9069360	300	480	109	1870	7640	61.4
29360	9039360	300	480	109	2670	10600	75
9069364	9069364	320	500	109	2030	7915	73.4
29364E	9039364E	320	500	109	2880	11200	78
9069464	9069464	320	580	155	2930	11660	171
29464E	9039464E	320	580	155	4950	19000	175
9069368	9069368	340	540	122	2710	11000	94.9
29368	9039368	340	540	122	2710	11000	105

LUOYANG JINYUAN OUTSIZE BEARING CO.,LTD

29468	9039468	340	620	170	4550	17480	226
9069472	9069472	360	640	170	3790	15440	199
29472E	9039472E	360	640	170	5350	21200	230
29276E	9039276E	380	520	85	1460	6800	50
9069280	9069280	400	540	85	1260	7060	49
29280	9039280	400	540	85	1610	8000	55.5
9069380	9069380	400	620	132	2860	12050	134
29380	9039380	400	620	132	3450	14600	150
9069480	9069480	400	710	185	4820	19060	388
29480E	9039480E	400	710	185	6560	26500	310
29392	9039392	460	710	150	4310	19000	217
9069296	9069296	480	650	103	1950	10500	89.4
29296	9039296	480	650	103	2350	11800	98
29396	9039396	480	730	150	4370	19600	220
29496E	9039496E	480	850	224	9550	39000	550
90692/500	90692/500	500	670	103	1950	10540	89.6
292/500	90392/500	500	670	103	2390	12500	100
90693/500	90693/500	500	750	150	3520	16900	203
293/500	90393/500	500	750	150	4490	20400	235
90694/500	90694/500	500	870	224	6290	27340	520
294/500E	90394/500E	500	870	224	9370	40000	560
293/530	90393/530	530	800	160	5230	23600	270
294/530E	90394/530E	530	920	236	9000	41950	624
90694/530	90694/530	530	920	236	8386	32630	573
292/560	90392/560	560	750	115	2990	16000	140
90692/560	90692/560	560	750	115	2430	13320	127
292/600	90392/600	600	800	122	3420	20500	172
90694/600	90694/600	600	1030	258	9626	37580	700
90692/630	90692/630	630	850	132	3270	17760	188
292/630E	90392/630E	630	850	132	4770	23600	210
293/630E	90393/630E	630	950	190	8450	38000	485
90692/670	90692/670	670	900	140	3670	20280	218
292/670	90392/670	670	900	140	4200	22800	255
90694/750	90694/750	750	1280	315	14340	58590	1309
294/750E	90394/750E	750	1280	315	18700	85000	1650
90692/800	90692/800	800	1060	155	5635	28870	323
294/800E	90394/800E	800	1360	335	20200	93000	2025
90692/1060	90692/1060	1060	1400	206	6660	47990	824
691/1320	691/1320	1320	1540	175	4050	50400	480

<http://www.lybearing.com> tel:0086-0379-67279705 fax:0086-0379-64276136